

<h2 style="margin: 0;">Intracranial Pressure Monitoring</h2>	<p>(Affix patient identification label here)</p> <p>URN:</p> <p>Family Name:</p> <p>Given Names:</p> <p>Address:</p> <p>Date of Birth: Sex: <input type="checkbox"/> M <input type="checkbox"/> F</p>
<p>Facility:</p>	

A. INTERPRETER / CULTURAL NEEDS

- An Interpreter Service is required? Yes No
- If Yes, is a qualified Interpreter present? Yes No
- A Cultural Support Person is required? Yes No
- If Yes, is a Cultural Support Person present? Yes No

B. CONDITION AND TREATMENT

The doctor has explained that you have the following condition: *(Doctor to document in patient's own words)*

.....

.....

This condition requires the following procedure/treatment/investigation. *(Doctor to document - include site and/or side where relevant to the procedure)*

.....

.....

The following will be performed:

The cut will be closed with sutures or staples.

Intracranial Pressure Monitoring is a procedure which is used for the management of patients whose pressure inside their brain is too high. A special probe which monitors pressure is inserted through a small hole in the skull.

To allow the insertion of the probe a small cut is made in the scalp usually on the top right hand side of the head. A small hole is drilled into the skull beneath the cut and the firm covering of the brain is opened.

The probe is placed a few centimetres into the brain. The probe is connected to a electronic measuring device which monitors the brain pressure.

The probe will stay in place for a few days or until the pressure has stabilised.

The cut will be closed with sutures or staples.

C. RISKS OF A INTRACRANIAL PRESSURE MONITORING

There are some risks/complications with this procedure/treatment/investigation.

Common risks include;

- Infection. This may need antibiotics and further treatment.
- Minor pain, bruising and/or infection from IV cannula site. This may require treatment with antibiotics.

Uncommon risks include;

- Bleeding. A return to the operating room for further surgery may be required if bleeding occurs. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Asprin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).
- A heart attack because of the strain on the heart.
- Stroke or stroke like complications can occur which can cause weakness in the face, arms and legs. This could be temporary or permanent.
- Fluid leakage from around the brain can occur after the operation. This may require further surgery.
- Small areas of the lung may collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Increase risk in obese people of wound infection, chest infection, heart and lung complications, and thrombosis.
- Clots in the leg (deep vein thrombosis or DVT) with pain and swelling. Rarely part of this clot may break off and go into the lungs.

Rare risks include;

- Epilepsy which may require medication. This condition may be temporary or permanent.
- Injury to the brain, important nerves or blood vessels. This can lead to stroke like complications which can cause weakness in the face, arms and/or legs.
- Death is rare due to this procedure.

D. SIGNIFICANT RISKS AND PROCEDURE OPTIONS

(Doctor to document in space provided. Continue in Medical Record if necessary.)

.....

.....

E. RISKS OF NOT HAVING THIS PROCEDURE

(Doctor to document in space provided. Continue in Medical Record if necessary.)

.....

.....

F. ANAESTHETIC

This treatment/procedure/investigation may require an anaesthetic. *(Doctor to document type of anaesthetic required)*

Intracranial Pressure Monitoring

Intracranial Pressure Monitoring

Facility:

(Affix patient identification label here)

URN:

Family Name:

Given Names:

Address:

Date of Birth:

Sex: M F

.....
.....

<h2 style="margin: 0;">Intracranial Pressure Monitoring</h2>	<p style="text-align: center;">(Affix patient identification label here)</p> <p>URN: _____</p> <p>Family Name: _____</p> <p>Given Names: _____</p> <p>Address: _____</p> <p>Date of Birth: _____ Sex: <input type="checkbox"/> M <input type="checkbox"/> F</p>
<p>Facility:</p>	

G. PATIENT CONSENT

- I acknowledge that the doctor has explained;
- my medical condition and the proposed procedure/treatment/investigations, including additional treatment if the doctor finds something unexpected. I understand the risks, including the risks that are specific to me.
 - the anaesthetic required for this procedure/treatment. I understand the risks, including the risks that are specific to me.
 - other relevant procedure/treatment options and their associated risks.
 - my prognosis and the risks of not having the procedure/treatment.
 - that no guarantee has been made that the procedure/treatment will improve my condition even though it has been carried out with due professional care.
 - the procedure may include a blood transfusion.
 - tissues and blood may be removed and could be used for diagnosis or management of my condition, stored and disposed of sensitively by the hospital.
 - if immediate life-threatening events happen during the procedure, they will be treated accordingly.
 - a doctor other than the Specialist Neurosurgeon may conduct the procedure. I understand this could be a doctor undergoing further training.

I have been given the following Patient Information Sheets;

- About your Anaesthetic**
- Intracranial Pressure Monitor**

- I was able to ask questions and raise concerns with the doctor about my condition, the proposed procedure/treatment/ investigations and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction.
- I understand I have the right to change my mind at any time before the procedure/ treatment/investigation, including after I have signed this form but, preferably following a discussion with my doctor.

On the basis of the above statements,

I REQUEST TO HAVE THE PROCEDURE

**Name of Patient/
Substitute decision
maker and relationship:**

Signature:

Date:

Substitute Decision-Maker: Under the *Powers of Attorney Act 1998* and/or the *Guardianship and Administration Act 2000*. If the patient is an adult and unable to give consent, an authorised decision-maker must give consent on the patient's behalf.

H. DOCTOR'S STATEMENT

I have explained to the patient all the above points under the Patient Consent section (G) and I am of the opinion that the patient/substitute decision-maker has understood the information.

**Name of
Doctor:**

Designation:

Signature:

Date:

**Name of
Anaesthetist:**

Designation:

Signature:

Date:

I. INTERPRETER'S STATEMENT

I have given a sight translation in

(state the patient's language here) of the consent form and assisted in the provision of any verbal and written information given to the patient/parent or guardian/substitute decision-maker by the doctor.

**Name of
Interpreter:**

Signature:

Date: